# (19) World Intellectual Property Organization International Bureau





## (43) International Publication Date 9 October 2003 (09.10.2003)

**PCT** 

# (10) International Publication Number WO~03/082327~A2

(51) International Patent Classification<sup>7</sup>: 39/39, 48/00

A61K 39/00,

(74) Agent: HUYGENS, Arthur, V.; Octrooibureau HUY-GENS, P.O. Box 86, NL-3400 AB IJsselstein (NL).

(21) International Application Number: PCT/EF

PCT/EP03/03353

(22) International Filing Date: 28 March 2003 (28.03.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

02076276.1 03075383.4 28 March 2002 (28.03.2002) EP

10 February 2003 (10.02.2003) EP

(71) Applicant (for all designated States except US): BREN-NTAG BIOSECTOR A/S [DK/DK]; Elsenbakken 23, DK-3600 Frederikssund (DK).

(72) Inventors; and

(75) Inventors/Applicants (for US only): REIMANN, Hansjörg [DE/DE]; Ringstrasse 88, 89081 Ulm-Lehr (DE). SCHIRMBECK, Reinhold, Alois [DE/DE]; Danzigerstrasse 13, 36381 Krumbach (DE). LINDBLAD, Erik, B. [DK/DK]; Frederiksberg Alle 19 B, DK-1820 Frederiksberg (DK).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,

LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, VII, ZA, ZM, ZW,

UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



03/082327 A

#### (54) Title: COMBINED DNA/PROTEIN VACCINE COMPOSITIONS

(57) Abstract: The present invention relates to a novel, combined DNA/Protein antigen vaccine composition comprising nucleic acid molecules and a mineral-based, negatively charged adjuvant, so as to enhance the immungenicity of the DNA vaccine efficiently enhancing not only plasmid DNA vaccines but also providing a novel strategy for immunogenic, multivalent combined protein/DNA vaccine delivery. Preferred adjuvants are aluminium or calcium salts, in particular aluminium phosphate.

WO 03/082327

10

1

## **Combined DNA/Protein Vaccine Compositions**

#### Field of the invention

The present invention relates to novel, combined DNA/Protein vaccine compositions comprising at least one nucleic acid molecule encoded antigen and at least one protein antigen adjuvanted in a mineral-based adjuvant so as to enhance the immunogenicity of both in a single vaccine formulation.

## Background of the invention

DNA vaccination is an important novel immunization strategy to specifically prime humoral and cellular immune responses (S. Gurunathan et al., *Annu Rev. Immunol.* (2000) 18:927-74). With DNA vaccines based on injection of nucleotides alone 50-100 µg nucleotide is required to elicit a potent immune response against the antigen encoded by the DNA. It is not known how large a proportion of the DNA that is *de facto* transcribed into protein and it is not clear how much protein that it subsequently gives lead to. It has been shown, however, that no or barely detectable immune responses are detected when <10 µg plasmid DNA is injected into mice.

Currently, DNA vaccines are not yet on the market. Limitations that prevent the introduction of DNA vaccination into clinical practice include the conspicious absence of techniques that can deliver low doses of a DNA vaccine in a sufficiently immunogenic form to a wide range of animals and to man. It will be clear that the development of techniques which would lead to the elicitation of a potent immune response after administration of significantly lower doses of DNA nucleotide would attract both scientific and economic interest among vaccine producers.

In recent literature various adjuvants have been proposed to enhance the immunogenicity of DNA vaccines. For example, the interrelated references WO 00/02591, WO 98/35562, and S. Wang et al., *Vaccine* 18:1227-1235 (2000) disclose vaccine formulations comprising nucleic acid molecules and an aluminium phosphate-based or calcium phosphate-based adjuvant provided in a biologically effective concentration so as to improve induction of an immune response subsequent to vaccination. The formulations with calcium- or aluminum phosphate adjuvants prior to injection have been shown to facilitate delivery of DNA vaccines, since antibody titers are increased by 10- to 100-fold and the immunogenic dose of DNA is decreased by 10-fold. Although the mechanism by

which aluminium phosphate or aluminium hydroxyphosphate exerts this adjuvant effect is not clear, the adjuvants have an extensive record from use in practical vaccination.

WO 99/51269 discloses a DNA vaccine containing a naked DNA incorporating and expressing in vivo a nucleotide sequence encoding an antigenic polypeptide and at least an adjuvant compound selected from the class of (meth)acrylic polymers and copolymers of maleic anhydride and alkenyl derivatives, preferably a carbomer or an EMA®.

WO 02/03961 discloses a nucleic acid delivery system comprising nucleic acid molecules encapsulated in biodegradable microspheres, suitable for delivering DNA 10 vaccines, which comprises an adjuvant for modulating the immunostimulatory efficacy said adjuvant comprising an aminoalkyl glucoaminide-4-phosphate (AGP).

WO99/30733 discloses a method to enhance an immune response based on a combination of polynucleotide and polypeptide. Pharmaceutical compositions comprising DNA + polypeptide may contain a specially prepared aluminium hydroxide (Al(OH)<sub>3</sub>). The 15 protein antigen was adsorbed onto aluminium hydroxide (Example 8) and subsequently co-acervated with polycaprolactone to create a complex form with slow-release of antigen from the specially treated AI(OH)<sub>3</sub>. This complex was then mixed with the DNA in the ratio 2 μg protein to 10 μg DNA prior to use. No other approaches to adjuvantation of the peptide-nucleotide combination using other mineral-based adjuvants were investigated.

WO 97/28818 discloses vaccinations and vaccines comprising a nucleic acid encoding a first epitope and a peptide encoding a second epitope, in particular in vitro transfection of APC's (Antigen Presenting Cells) with DNA encoded antigen (and not muscular tissue which is the normal target tissue for DNA immunization) and the simultaneous presence of peptide antigen as well as DNA encoded and transcribed 25 antigen in APC's was demonstrated. Several vectors and delivery systems were discussed and a speculation was made (p. 42) on the possible use of a wide range of adjuvants, but no experimental data for the use of any adjuvant was provided.

20

Conventional vaccines allow the combination of different antigens, but only within the group of either adjuvanted vaccine components or within the group of non-30 adjuvanted live-attenuated vaccine relevant organisms. The former group which is adjuvanted by mineral salts primarily gives lead to a Th2 response which is protective for the mentioned diseases, whereas similar adjuvantation could have an inhibitory effect on the immune response necessary for protection against the live attenuated vaccine components (E.B. Lindblad et al., Infect. Immun. 65(2):623-629 (1997)). This dichotomy currently limits the possibilities of making combination vaccines where diseases from the 10

25

two groups, respectively, are represented. The diseases covered by the live attenuated vaccines are often requiring a Th1 type immune response as protecting against these diseases does not depend upon an antibody response alone.

There is still a need for further investigation in order to improve the immuno-5 genicity of DNA vaccines. It is noted in this connection that as far as the inventors are aware the possibility of combining DNA nucleotide-based vaccines with conventional protein or adsorbed protein-based vaccines for establishing an efficient combination of these two technologies has hitherto not been explored, especially not in relation to the use of negatively-charged mineral-based adjuvants.

The DNA vaccine technology has the potential of inducing a Th1 type response necessary for protection against those diseases which are at present prevented by the group of live attenuated vaccines. The present invention provides a combination of at least one DNA vaccine with one or more classically adjuvanted Th2 stimulating vaccines, thereby overcoming such limitations of preparing an extended programme of 15 combination vaccines.

#### Summary of the invention

The present invention provides a combined DNA/Protein antigen vaccine composition suitable for administration to a vertebrate host, including man, which 20 comprises:

- (a) a polynucleotide vaccine component comprising at least one polynucleotide encoding at least one antigen, such that introduction of said formulation into said vertebrate host results in expression of a biologically effective amount of said antigen or antigens so as to induce a prophylactic or therapeutic immune response;
- (b) a protein antigen vaccine component comprising at least one protein antigen selected from the group of model protein antigens and vaccine protein antigens; and (c) a mineral-based, negatively charged adjuvant.

In a preferred embodiment of the invention said mineral-based, negatively charged adjuvant is an adjuvant selected from the group of aluminium phosphate-based and aluminium hydroxyphosphate-based adjuvants.

In another embodiment of the invention said mineral-based, negatively charged adjuvant is an adjuvant selected from the group of calcium phosphate-based and calcium hydroxyphosphate-based adjuvants.

Suitable polynucleotide vaccine components which can be used in the vaccine composition according to the invention include components from vaccines where the classical aluminium adjuvants are considered inadequate to elicit protection, for example intracellular parasitic bacteria like Mycobacterium sp. and Leishmania sp., and viruses like cytomegalovirus (CMV), HTLV-I, HIV, hepatitis C and D, influenza, measels, rubella, and tumour-associated antigens.

Suitable model protein antigens may range from acidic IEP proteins, such as bovine serum albumin and human serum albumin, to basic IEP proteins, such as lysozyme.

Suitable vaccine protein antigens include but are not limited to detoxified toxins as well as other vaccine relevant antigens at present used in conventional vaccines against e.g. tetanus, diphtheria, botulinus poisoning, pertussis, inactivated poliomyelitis, hepatitis A and B, and the like.

10

30

In yet another preferred embodiment said mineral-based, negatively charged adjuvant is pre-incubated by said at least one protein antigen vaccine component prior to being formulated with said polynucleotide vaccine component to a vaccine composition according to the present invention.

In a further aspect of the invention the use of a mineral-based, negatively charged adjuvant is provided as a component in a combined DNA/Protein based vaccine composition as herein defined.

In another aspect of the invention a kit is provided comprising a vaccine composition as defined above, in a unit dose form for administration to a vertebrate recipient, including man.

In yet another aspect of the invention a method of inducing an immune response in a vertebrate host is provided which comprises introducing a vaccine composition as defined above into said vertebrate host.

These and other embodiments of the present invention will be outlined in more detail in the following detailed description.

#### Brief description of the drawing

Figure 1 shows that the codelivery of plasmid DNA and protein vaccines in aluminum phosphate (AIPO<sub>4</sub>) increases Ab titer against both antigens. BALB/c mice were vaccinated intramuscularly by single injection of the combination of 5 μg recombinant (HBcAg or HBsAg) particles and 50 μg plasmid DNA encoding HBsAg or HBcAg (pCI/S, pST/C). Vaccines containing either rHBcAg and pCI/S (group 1,2) or rHBsAg and pST/C

5

(group 3,4) were delivered alone (group 1,3) or formulated with AIPO<sub>4</sub> adjuvant (group 2,4). Sera were obtained 4 weeks post-immunization and tested for anti-HBsAg (left panel) and anti-HBcAg (right panel) antibodies by ELISA. The mean antibody titers of 3 individual mice are shown.

5

#### **Definitions**

The term "polynucleotide vaccine" (PNV) which is identical to "DNA vaccine", as used herein, is meant to indicate a DNA vector containing a gene encoding a viral, bacterial, parasitic or tumor antigen which has been shown to express that respective antigen subsequent to administration to the vertebrate, for example by intramuscular injection.

The term "model protein antigen" as used herein is meant to define a protein which is not derived from an infectious microorganism which may cause one or more diseases. Hence a model protein antigen is not included in a vaccine preparation with the aim of eliciting a protective immune response towards the model protein itself.

The term "conventional vaccines", as used herein, is meant to define well-established vaccines, whether they are based on (1) live, attenuated vaccine components (not adjuvanted), or (2) killed inactivated vaccine components, killed whole cells, purified subunit or peptide components (which are adjuvanted), using e.g. mineral adjuvants

The term "vaccine protein antigen" as used herein, refers to an antigen, regardless whether it is a protein-containing cell fragment, a purified protein, a synthetic peptide or whether in its nature it consists of amino acids only or of amino acids in combination with other biological molecules, like carbohydrates or lipids, derived from an infectious organism against which the vaccine is intented to protect. The purpose of including the vaccine protein antigen is to induce specific and protective immunity towards the infection caused by the organism that the vaccine protein relevant was derived from.

The term "adjuvant", as used herein, refers to one or more compounds that enhance the immune response against the antigenic components of the vaccine formulation or helps delivering the nucleotide or provides a stimulative effect for the immune response to transcription products of the injected DNA nucleotides.

The term "negatively charged mineral-based phosphate adjuvant", as used herein, refers to preformed aluminium phosphate or aluminium hydroxyphosphate gel adjuvants, and the like, which are characterized by having an acidic point of zero charge (PZC). It also refers to a formulation by which preformed aluminium hydroxide adjuvant (which normally has an alkaline PZC) after its formation is incubated with phosphate ions

6

to form a complex with these by which process it also - subsequently - achieves an acidic PZC. It also refers to calcium phosphate or calcium hydroxyphosphate based adjuvants.

The term "point of zero charge" or "PZC", as used herein refers to the specific pH value at which a given mineral-based adjuvant has no net charge. As such the PZC is analogous to the isoelectric point (IEP) of a protein as known from protein chemistry. At pH values above the PZC the net charge of the mineral-based adjuvant is negative and below the PZC the net charge of the mineral-based adjuvant is positive.

#### Detailed description of the invention

10

The present invention is based on the surprising finding, after extensive research and experimentation, that aluminium phosphate or alumium hydroxyphosphate-mediated enhancement of the immunogenicity of DNA vaccines was further improved by pre-incubating aluminium phosphate or aluminium hydroxyphosphate with at least one suitable protein. It was also found that aluminium phosphate and aluminium hydroxyphosphate and their calcium counterparts can be used to combine protein- and DNA-based vaccination to prime an enhanced and differentiated specific immunity.

The invention relates in one aspect to a novel vaccine formulation comprising nucleic acid molecules and a mineral-based, negatively charged adjuvant delivered in a biologically effective concentration so as to promote the effective induction of an immune response directed towards one or more specific antigens encoded by the nucleic acid molecule(s). According to this aspect the adjuvant, when delivered in conjunction, e.g. pre-incubated or pre-mixed with a suitable protein, seems to have a different appearance as compared to the original vaccine formulations on which this improvement is based which have been extensively described, *inter alia* in WO 00/2591, the disclosure of which is incorporated herein by reference. Apart from the improvement defined above, any aspect of said disclosure including definitions, preparation of the pharmaceutical formulations, selection and amounts of ingredients, methods of inducing an immune response in an vertebrate host using the pharmaceutical formulations, way of delivery of the formulations to the vertebrate host, the diseases or disorders to be treated by the formulations, etc., apply equally to the present invention.

The present invention is further based on the surprising finding that the enhancement is mediated by the negatively charged mineral-based phosphate adjuvant (as exemplified by, but not limited to aluminium phosphate and aluminium hydroxy phosphate), with a suitable protein, as exemplified by either a model protein, such as an acidic IEP protein, for example bovine serum albumine (BSA) having low adsorption

affinity, or a basic IEP protein, for example hen egg lysozyme (HEL) having high adsorption affinity, or, alternatively, a vaccine-relevant protein antigen, as exemplified by but not limited to - two vaccine-relevant antigens of hepatitis B virus (HBV), i.e. its envelope protein (hepatitis B surface antigen, HBsAg) and its nucleoprotein (hepatitis B core antigen, HBcAg). Accordingly, a protein antigen, whether or not intended to raise protective immune responses against itself, can be suitably and advantageously codelivered with DNA vaccines formulated in aluminium phosphate, aluminium hydroxyphosphate, or another suitable negatively charged mineral adjuvant.

It was further found that AIPO<sub>4</sub> is particularly suitable as an adjuvant to formulate a vaccine composition that delivers expression plasmid-encoded antigens together with recombinant protein antigens. The vaccine composition combines (i) the adjuvant effect of AIPO<sub>4</sub>, (ii) the adjuvant effect of plasmid DNA, (iii) the enhanced immunogenic delivery of a DNA vaccine by AIPO<sub>4</sub>, and (iv) the potent co-priming of multispecific, humoral and cellular immune responses to a variety of antigens that usually is achieved only by immunization with vaccines containing live, attenuated or killed pathogens.

When analyzing the priming of murine humoral and CTL responses to vaccine-relevant antigens formulated in aluminium-based adjuvants, no boosting injections were given to exclusively determine the potency of the vaccine formulations under study in priming CTL and T cell-dependent immune responses. (It will be understood that boosting injections are not excluded from the the present invention).

It is known that plasmid DNA and proteins with an acidic IEP adsorb efficiently onto Al(OH)<sub>3</sub>, but not to AIPO<sub>4</sub> [J.B. Ulmer *et al.*, *Vaccine* (1999) 18:18-28; S.J. Seeber *et al.*, *Vaccine* (1991) 9:201-203]. An immunogenic delivery of DNA vaccines with concentional Al(OH)<sub>3</sub> adjuvant has not been achieved while Al(OH)<sub>3</sub> is widely used to deliver protein antigens in immunogenic form. Without being bound to any theory, the present inventors believe that the high content of phosphate in the DNA strand may give lead to the very high binding affinity to Al(OH)<sub>3</sub> and that this binding impairs the subsequent transcription of the protein antigen encoded by the DNA. A "depot effect", i.e. the slow release of antigen *in situ* combined with an immune-stimulating effect of the aluminium salt, has often been proposed to underlie the adjuvant activity. The lack of adsorption of plasmid DNA onto AlPO<sub>4</sub> (but not Al(OH)<sub>3</sub>) seems to be an essential prerequisite for its ability to deliver DNA vaccines in an adequate and functional form. When low doses of a "naked" DNA vaccine are injected i.m. without adjuvants, specific priming of CTL, but not of serum antibody responses is observed [W. Böhm *et al.*, *J.* 

8

*Immunol. Methods* (1996) 193:29-40]. Delivery of a DNA vaccine by AIPO₄ did not enhance its ability to prime specific, polarization of the response against the individual components of the vaccine. The antigens encoded by DNA vaccines would preferentially prime Th1 immunity while the antigens formulated into the AIPO4 as recombinant proteins 5 would preferentially induce Th2 immunity. This is clearly shown in Figure 1 where one can see that the DNA-derived antibody repsonse is biased towards the IgG2a subclass, indicative of Th1 immunity, whereas the protein-derived antibody response is biased towards the IgG1 subclass, indicative of Th2 immunity. This does not take into account intrinsic features of an antigen that can drive the polarization of the immune response they 10 induce into a Th1 or Th2 bias independent of the locally prevailing cytokine milieu [P. Riedl et al., J. Immunol. (2002) 168:4951-4959; J. Reimann and R. Schirmbeck, Dev. Biol. (2000) 104:15-24]. However, the key point is that the vaccine delivery strategy according to the present invention supports the formulation of a single vaccine composed of very different types of vaccine constructs that prime in situ a diverse spectrum of immune 15 responses differing in specificity and in the repertoire of specific effector functions they can mediate, i.e., a differentiated Th1 to the DNA encoded antigen, including a CTL response, and a Th2 response to the protein antigen.

Experimental vaccines were formulated in which low doses (1-5 µg/mouse) of antigen-encoding plasmid DNA together with low doses of either a model protein antigen (BSA), or a vaccine-relevant protein antigen (HBsAg or HBcAg) was mixed with aluminium phosphate or aluminium hydroxyde. The immune responses elicited by this combination vaccine against the protein antigen adsorbed to aluminium phosphate were enhanced in the presence of the DNA vaccine, and did not interfere with immune responses against the antigen encoded by the DNA vaccine.

To be more specific, low doses of different DNA vaccines formulated with 25 AIPO<sub>4</sub> induced enhanced humoral responses and supported priming of MHC class Irestricted cellular immunity. Different proteins mixed with the plasmid DNA vaccine in the AIPO<sub>4</sub> formulation did not impair its immunogenicity. Co-injection of two different, vaccinerelevant antigens in the same AIPO4 formulation, one as a DNA vaccine, the other as a 30 recombinant protein, elicited polyvalent, humoral and cellular immune responses to all antigens delivered. The isotype profiles of the induced humoral responses and the cytokine profiles of the specifically primed T cell responses indicated that the combined vaccines supported co-priming of Th1- and Th2-biased, as well as differentiated responses.

9

Therefore, protein antigen-containing mineral-based, negatively charged adjuvants, such as aluminium phosphate and for example also aluminium hydroxyphosphate can efficiently enhance not only plasmid DNA vaccines but also provides a novel strategy for immunogenic, multivalent combined protein/DNA vaccine delivery.

The invention is further illustrated by the following examples which, however, are not intended to limit the invention in any respect.

#### **Experimental**

Immunization of BALB/c mice with protein- or DNA-based vaccines was to chosen as the preclinical model since a significant amount of the preclinical experience obtained with novel vaccination approaches has been generated in this species.

Standard immunization procedures were used based on the intramuscular injection of either 5, 50 or 100 µg plasmid DNA vaccines, or 0.5-5 µg protein antigen.

15 1. Mixing a model protein (antigen) together with a plasmid DNA vaccine to Al phosphate or Al hydroxyphosphate enhances the immunogenicity of the latter

BALB/c mice were immunized i.m. with 5, 50 or 100 μg pCl/S plasmid DNA (encoding the small HBsAg).

The DNA was delivered:

- 20 without vehicle (as "naked" plasmid DNA)
  - with aluminium phosphate
  - without protein antigen added
  - with (A) BSA or (B) HEL added

The antibody response was determined 4 weeks after a single immunization.

25

## (A) BSA system (see Table 1)

Table 1

group	pCI/S DNA vaccine (μg/mouse)	protein (BSA)	aluminium phosphate	anti-HBsAg serum antibody titer mlU/ml
1	5	-	-	<10
2	50	_	-	978
3	100	-	-	1898
4	5		+	458
5	50	-	+	2889
6	5	+	-	<10
7	50	+	<b>-</b>	2756
8	5	+	+	1789
9	50	+	+	4572
10	-	+	-	<10

## 5 (B) HEL system (see Table 2)

Table 2

group	pCI/S DNA vaccine (μg/mouse)	protein (HEL)	aluminium phosphate	anti-HBsAg serum antibody titer mIU/mI
1	5	-	-	<10
2	50	-	-	613
3	100	-	<b>-</b>	965
4	5	<u>-</u>	+	549
5	50	-	+	2790
6	5	+	_	<10
7	50	+	-	1473
8	5	+	+	753
9	50	+	+	3317
10	-	+	_	<10

## 10 These results allow the following conclusions:

- A dose-dependent antibody response against a DNA nucleotide encoded antigen is induced by a single i.m. injection of the pCI/S DNA vaccine.
- The immunogenicity of the pCI/S DNA vaccine is enhanced when it is mixed before i.m. delivery with aluminium phosphate or alumium hydroxyphosphate.

When protein antigens (BSA) are mixed with aluminium phosphate or alumium hydroxyphosphate the immunogenicity of the pCI/S DNA vaccine also mixed to aluminium phosphate or alumium hydroxyphosphate is strikingly enhanced.

## 5 2. Mixing a vaccine protein antigen and a plasmid DNA vaccine with Al phosphate

BALB/c mice were immunized i.m. with 5, 50 or 100 µg pCI/LC149 plasmid DNA (encoding a secreted, truncated variant of the HBV core antigen HBcAg).

The DNA vaccine was delivered:

- without vehicle (as 'naked' plasmid DNA)
- 10 with aluminium phosphate
  - without protein antigen added
  - with HBsAg added

HBsAg (2 μg/mouse) was delivered.

- without vehicle (as 'naked' protein particles)
- 15 with aluminium phosphate
  - without protein antigen added
  - with DNA vaccine added

The antibody response was determined 4 weeks after a single immunization. The results are shown in Table 3 below.

20

Table 3

group	pCI/LC <sub>149</sub> DNA vaccine	Protein antigen:	aluminium	reciprocal anti- HBc/eAg	anti-HBsAg serum antibody
	(μ <b>g/mouse</b> )	HBsAg	phosphate	endpoint antibody titer	titer mlU/ml
1	5	-		<10	<10
2	50	-	-	10.000	. <10
3	100	-	-	26.000	<10
4	5	_	+	2.500	<10
5	50	-	+	75.000	<10
6	5	+	-	<10	2187
7	50	+	-	10.000	3210
8	5	+	+	12.500	2630
9	50	+	+	120.000	3540
10	•	+	+	<10	2100

WO 03/082327

These results allow the following conclusions:

- A dose-dependent antibody responses is induced by a single i.m. injection of the pCI/LC<sub>149</sub> DNA vaccine; the immunogenicity of the DNA vaccine is enhanced when it is mixed before i.m. delivery with aluminium phosphate or aluminium hydroxyphosphate.

12

- Protein antigens (HBsAg) and DNA vaccines are mixed with aluminium phosphate or aluminium hydroxyphosphate prime polyvalent immune responses.

## 3. Adsorption of vaccine protein antigen (HBsAg) to Al phosphate / Al hydroxyphosphate or Al hydroxide

*In vitro experiments:* 


5

10

15

- i. 91  $\mu$ I = 450  $\mu$ g AI of either aluminium phosphate or aluminium hydroxide were incubated for 24 h at 4°C (under constant shaking) with 100, 50, 10, 5 or 1  $\mu$ g HBsAg in a total volume of 200  $\mu$ I; a parallel set of samples was incubated additionally with 50  $\mu$ g plasmid DNA.
- ii. the alum was spun down and supernatants were harvested.
- iii. HBsAg (Abbott AxSym HBsAg V2-kit (cat.no. 7A 10-22, Abbott, Wiebaden, Germany) in supernatants (S/N) was measured by the Abbott ELISA.

The results are shown in the following graph.



HBsAg was readily detected in S/N of mixtures of antigen with aluminium phosphate (even when as low amounts as only 1 µg HBsAg was mixed with the phosphate adjuvant) while no HBsAg was detectable after incubation with aluminium

13

hydroxide. There was no difference in HBsAg release when plasmid DNA was also mixed (together with HBsAg protein) to the aluminium adjuvant preparation.

These results allow the following conclusions.

- 5 Aluminium phosphate and alumium hydroxyphosphate do not adsorb HBsAg but aluminium hydroxide adsorbs HBsAg efficiently.
  - Plasmid DNA in the applied quantities suitable for vaccination has no influence on the adsorption or non-adsorption of protein antigen to aluminium adjuvants.

14

- 1. A vaccine composition suitable for administration to a vertebrate host, including man, which comprises:
  - (a) a polynucleotide vaccine component comprising at least one polynucleotide encoding at least one antigen, such that introduction of said formulation into said vertebrate host results in expression of a biologically effective amount of said antigen or antigens so as to induce a prophylactic or therapeutic immune response;
  - (b) a protein antigen vaccine component comprising at least one protein antigen selected from the group of model protein antigens and vaccine protein antigens; and
  - (c) a mineral-based, negatively charged adjuvant.

5

10

- 2. A vaccine composition according to claim 1 wherein said mineral-based negatively charged adjuvant is an aluminium salt or a calcium salt.
- 3. A vaccine composition according to claim 2 wherein said aluminium or 15 calcium salt is selected from the group consisting of aluminium phosphate, aluminium hydroxyphosphate, phosphate-treated aluminium hydroxide, calcium phosphate, calcium hydroxyphosphate, and phosphate-treated calcium hydroxide.
- 4. A vaccine composition according to any one of claims 1 to 3 wherein said 20 group of model protein antigens range from acidic IEP proteins to alkaline IEP proteins.
- 5. A vaccine composition according to any one of claims 1 to 4 wherein said group of vaccine protein antigens includes a surface protein or a core protein of HBV, a 25 de-toxified toxin from the bacteria Clostridium tetani (i.e. tetanus toxoid), a de-toxified toxin from the bacteria Clostridium botulinus (i.e. botulinus toxoid), and a de-toxified toxin from the bacteria Corynebacterium diphtheriae (i.e. diphtheria toxoid).
- 6. A vaccine composition according to any one of claims 1 to 4 wherein said 30 group of vaccine protein antigens includes protein antigens derived from inactivated poliovirus.
  - 7. A vaccine composition according to any one of the preceding claims, wherein said mineral-based negatively charged adjuvant is preincubated or subsequently

15

mixed with said at least one protein antigen vaccine component prior to being formulated with said polynucleotide vaccine component.

- 8. A kit comprising a vaccine composition as defined in any one of the claims
  1-7 in a unit dose form for administration to a vertebrate recipient, including man.
  - 9. Use of a mineral-based, negatively charged adjuvant as a component in a combined DNA/protein-based vaccine composition as defined in any one of claims 1-7.




Fig. 1

## (19) World Intellectual Property Organization

International Bureau





(43) International Publication Date 9 October 2003 (09.10.2003)

**PCT** 

(10) International Publication Number WO 2003/082327 A3

(51) International Patent Classification<sup>7</sup>: 39/39, 48/00

A61K 39/00,

(21) International Application Number:

PCT/EP2003/003353

(22) International Filing Date: 28 March 2003 (28.03.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

02076276.1 03075383.4 28 March 2002 (28.03.2002) EP

10 February 2003 (10.02.2003) EP

(71) Applicant (for all designated States except US): BREN-NTAG BIOSECTOR A/S [DK/DK]; Elsenbakken 23, DK-3600 Frederikssund (DK).

(72) Inventors; and

(75) Inventors/Applicants (for US only): REIMANN, Hansjörg [DE/DE]; Ringstrasse 88, 89081 Ulm-Lehr (DE). SCHIRMBECK, Reinhold, Alois [DE/DE]; Danzigerstrasse 13, 36381 Krumbach (DE). LINDBLAD, Erik, B. [DK/DK]; Frederiksberg Alle 19 B, DK-1820 Frederiksberg (DK).

(74) Agent: HUYGENS, Arthur, V.; Octrooibureau HUY-GENS, P.O. Box 86, NL-3400 AB IJsselstein (NL).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### **Published:**

— with international search report

(88) Date of publication of the international search report: 4 March 2004

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: COMBINED DNA/PROTEIN VACCINE COMPOSITIONS

(57) Abstract: The present invention relates to a novel, combined DNA/Protein antigen vaccine composition comprising nucleic acid molecules and a mineral-based, negatively charged adjuvant, so as to enhance the immungenicity of the DNA vaccine efficiently enhancing not only plasmid DNA vaccines but also providing a novel strategy for immunogenic, multivalent combined protein/DNA vaccine delivery. Preferred adjuvants are aluminium or calcium salts, in particular aluminium phosphate.

## IN RNATIONAL SEARCH REPORT

Interconal Application No PCT/EP 03/03353

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A61K39/00 A61K39/39 A61K48/00

According to International Patent Classification (IPC) or to both national classification and IPC

#### B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) IPC 7 CO7K A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fletds searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

BIOSIS, EMBASE, WPI Data, PAJ, EPO-Internal

C. DOCUME	ENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of	the relevant passages	Relevant to daim No.
X	WO 00 02591 A (MERCK & CO, INC 20 January 2000 (2000-01-20) cited in the application page 20, line 21 - line 27 examples claims	C.)	1-3,5,8, 9
Υ	•		4,6
X	WO 99 30733 A (SMITHKLINE BEE BIOLOGICALS S.A.) 24 June 1999 (1999-06-24) page 9, line 18 - line 27 claims	CHAM	1-3,8,9
X	WO 97 28818 A (THEREXSYS LIMI) 14 August 1997 (1997-08-14) page 42, line 7 - line 19 claims	TED) -/	1-3,8,9
X Funi	her documents are listed in the continuation of box C.	X Patent family members are listed	d in annex.
"A" docume consider a filing of the citation other in the country of the citation of the citat	ent which may throw doubts on priority claim(s) or is cited to establish the publication date of another n or other special reason (as specified) ent referring to an oral disclosure, use, exhibition or	"T" later document published after the int or priority date and not in conflict with cited to understand the principle or the invention  "X" document of particular relevance; the cannot be considered novel or cannot involve an inventive step when the disconsidered to involve an involve and inv	h the application but heory underlying the claimed invention to be considered to ocument is taken alone claimed invention inventive step when the hore other such document to a person skilled
Date of the	actual completion of the international search	Date of mailing of the International se	earch report
1	7 September 2003	25/09/2003	
Name and r	nailing address of the ISA  European Patent Office, P.B. 5818 Patentiaan 2  NL - 2280 HV Rijswijk  Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  Fax: (+31-70) 340-3016	Authorized officer  Nooij, F	

## IN RNATIONAL SEARCH REPORT

Intermional Application No
PCT/EP 03/03353

C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Υ	WO 00 68259 A (G. LINDAHL) 16 November 2000 (2000-11-16) page 27, line 5 - line 8 page 29, line 7 - line 9	4
Y	WO 93 24148 A (SMITHKLINE BEECHAM BIOLOGICALS (S.A.)) 9 December 1993 (1993-12-09) page 3, line 8 - line 12	6
Α	page 3, The 6 - The 12	7
	S. WANG ET AL.: "Enhanced type I immune response to a hepatitis B DNA vaccine by formulation with calcium- or aluminium phosphate." VACCINE, vol. 18, no. 13, 21 January 2000 (2000-01-21), pages 1227-1235, XP002234919 Guildford, GB cited in the application abstract page 1234, left-hand column, line 15 - line 21	1-9

## IN RNATIONAL SEARCH REPORT

Information on patent family members

Intercional Application No
PCT/EP 03/03353

Patent document cited in search report		Publication date		Patent family member(s)		Publication date
WO 0002591	A	20-01-2000	AU	4973199	A	01-02-2000
			CA	2336992	A1	20-01-2000
			EP	1094844	A1	02-05-2001
			JP	2002520299	T	09-07-2002
			WO	0002591	A1	20-01-2000
			US	2002045594		18-04-2002
WO 9930733	Α	24-06-1999	AU	740729	<del></del> - В2	15-11-2001
			AU	1967899	Α	05-07-1999
			BR	9814285	A	03-10-2000
			CA	2313005	A1	24-06-1999
			CN	1284883	T	21-02-2001
			WO	9930733	<b>A</b> 1	24-06-1999
			EP	1037662	A1	27-09-2000
			HU	0100197	A2	28-05-2001
			JP	2002508333	T	19-03-2002
			NO	20003087	Α	08-08-2000
			NZ	504936		27-09-2002
			PL	341212		26-03-2001
			TR	200001737		21-12-2000
			US	2003072768	,	17-04-2003
			US	6500432		31-12-2002
			ZA	9811501		15-06-2000
WO 9728818	Α	14-08-1997	AT	225668		15-10-2002
			AU -	724716	B2	28-09-2000
			ΑÜ	1800597		28-08-1997
			CA	2244110		14-08-1997
			DE	69716240		14-11-2002
			DE	69716240		26-06-2003
			DK	880360		27-01-2003
			EP	0880360		02-12-1998
			ES	2184990		16-04-2003
			WO	9728818		14-08-1997
			JP	2000505802		16-05-2000
			PT	880360	Ť	28-02-2003
			US	2003100496	Å1	29-05-2003
WO 0068259	Α	16-11-2000	AU	4605100	A	21-11-2000
			CA	2372497	A1	16-11-2000
			EP	1175437	A2	30-01-2002
			WO	0068259		16-11-2000
WO 9324148	A	09-12-1993	AP	567	Α	25-11-1996
			AT	168271		15-08-1998
			AU	709406		26-08-1999
			ΑU	1648097		29-05-1997
			AU	4315693	Α	30-12-1993
			CA	2136429	A1	09-12-1993
			CN	1085450	• •	20-04-1994
			CZ	9402892	<b>A3</b>	13-09-1995
			DE	69319728	D1	20-08-1998
			DE	69319728	T2	04-02-1999
			DK	642355	T3	30-11-1998
			WO	9324148	A1	09-12-1993
			EP	0642355	A1	15-03-1995
			EP EP ES	0642355 0835663		15-03-1995 15-04-1998

## IN ERNATIONAL SEARCH REPORT

Information on patent family members

Internal Application No PCT/EP 03/03353

Patent document cited in search report		Publication date	· · · · · · · · · · · · · · · · · · ·		Publication date	
WO 9324148	Α		FI	945483 A	20-01-1995	
			HK	1011290 A1	28-04-2000	
			HU	71791 A2	28-02-1996	
			ΙL	105770 A	16-08-1998	
			JP	7508267 T	14-09-1995	
			MX	9302982 A1	01-12-1993	
			NO	944475 A	18-01-1995	
			NZ	253065 A	28-10-1996	
			PL	174077 B1	30-06-1998	
			RU	2160120 C2	10-12-2000	
			SG	48365 A1	17-04-1998	
			SI	9300271 A	31-12-1993	
			SK	142194 A3	09-08-1995	
			US	6013264 A	11-01-2000	
			ZA	9303541 A	21-06-1994	